## **DRAFT**

# **ADMIN RECORD**

## REVIEW OF OBSERVED PLUTONIUM-239,240 AND AMERICIUM-241 IN OU2 RUNOFF DURING THE MAY 16-17, 1995 FLOOD AT THE ROCKY FLATS ENVIRONMENTAL TECHNOLOGY SITE

**OCTOBER 2, 1995** 

U. S. DEPARTMENT OF ENERGY ROCKY FLATS FIELD OFFICE

PREPARED BY:



Sitewide Surface Water Group

DOCUMENT CLASSIFICATION REVIEW WAIVER PER CLASSIFICATION OFFICE

Rocky Mountain Remediation Services, L. L. C. October 2, 1995 Page2

## **CONTENTS**

INTRODUCTION	3
SAMPLE COLLECTION	3
DATA ANALYSIS AND INTERPRETATION	4
CONCLUSIONS	6
REFERENCES	8
FIGURES	9
ATTACHMENTS	

Rocky Mountain Remediation Services, L. L. C. October 2, 1995 Page3

#### INTRODUCTION

The purpose of this report is to present storm water runoff sample data for plutonium-239, 240 and americium-241 in water collected downgradient from the 903 Pad and Lip Area (Operable Unit 2 (OU2)) (Figure 1) during an approximate 15-year rainfall event on May 16-17, 1995 at the Rocky Flats Environmental Technology Site (Site) (M. E. Smith, USGS, oral communication, May 1995). The Site received a considerable amount of precipitation prior to the May 16-17, 1995 event (Figure 2); producing saturated soil conditions prior to May 16. On May 16-17, 1995 the Site received about 3.58 inches of rain in about 15 hours, according to the Site Meteorology Tower data (Figure 2). At times, the rainfall was intense, producing flooding in Site drainages. Consequently, Site environmental scientists and engineers observed rare overland flow in OU2. Overland flow in the 903 Pad and Lip area flows from north to south into the South Interceptor Ditch (SID).

#### SAMPLE COLLECTION

During the storm, researchers studying the chemistry and mobility of plutonium in soils in OU2 as part of the OU2 Soil Studies Project, took samples of the overland runoff at locations shown in Figure 3. This opportunistic sampling task was done with little attention to experimental design due to time constraints. No formal quality assurance samples were collected. The samples were collected by bailing the runoff from shallow gullies using a polyethylene sample bottle with its top cut off. The bailed samples were placed in 1-Liter polyethylene containers and acidified with nitric acid to pH less than 2.0. The samples were shipped to Thermo Analytical (TMA) in Richmond, California for analysis of total plutonium-239,240 and americium-241 by alpha spectrometry. A telefax copy of the results from analyses of these samples is available for review (Attachment 1). The minimum detectable activities (MDAs) for the samples were not

Rocky Mountain Remediation Services, L. L. C. October 2, 1995 Page4

reported, and no other water-quality samples were collected for correlation to the radionuclide activities.

#### DATA ANALYSIS AND INTERPRETATION

Few conclusions may be drawn from these data because no water-quality (e.g. total suspended solids) or flow data were obtained for correlation with the radionuclide activities. Comparison of total suspended solids concentrations and radionuclide activities would indicate the downgradient transport efficiency of soil materials eroded from the top of the hillside as well as the correlation of radionuclide activity with suspended solids concentration. Observation of the geographical distribution of the results combined with general reconnaissance of the study area are used herein to describe the importance of these results relevant to observed storm water quality in the SID and Pond C-2, located downstream from the OU2 study area.

It is generally accepted that plutonium-239,240 and americium-241 are physically partitioned to solids (e.g., soil particulates) (Harnish et al, in press; Litaor et al, 1994). Plutonium-239,240 and americium-241 activities in the runoff are as much as ten times higher at the top of the hill than at the bottom (Figure 3). Historical data for plutonium-239,240 and americium-241 for soils on the hillside show a similar trend toward decreased activity with downgradient distance from the 903 Pad (Attachment 2). Comparison of the soils data with the runoff data indicates that either very little actinide transport occurred over a long distance, or materials with high activity moved a very short distance downgradient. The actinide material in the overland flow might have been diluted or removed from suspension, or both processes may have occurred as the contaminated soil was transported downgradient.

An alternative explanation is that little transport occurred, and the observed radionuclide activities merely reflect the aerial distribution of actinide content in the

Rocky Mountain Remediation Services, L. L. C. October 2, 1995 Page5

hillside material that was suspended in the runoff. Again, it is difficult to determine which mechanism(s) dominate the downgradient actinide transport without total suspended solids concentrations and flow data.

The runoff from OU2 might have contributed to the elevation in plutonium-239,240 activity in Pond C-2 measured on May 18, May 23, and May 30, 1995 (Attachment 3). However, an alternative hypothesis is that the actinide material in the SID is accumulated from a diffuse, non-point source of plutonium throughout the SID drainage, and this material is periodically flushed into Pond C-2, especially during storms of the magnitude measured on May 17, 1995. Plutonium-239,240 and americium-241 have been measured at elevated activities (0.3-2.3 pCi/L) in storm water runoff samples collected at gaging station SW027, located at the east end of the SID before it enters Pond C-2 (Attachment 4). The SW027 actinide data show that plutonium-239,240 and americium-241 are regularly detected in storm water sampled at this location. It is not known how much of the material detected at SW027 and in Pond C-2 comes from the OU2 drainage area versus other source areas.

There are other tributaries to the SID where elevated plutonium-239,240 activities were measured in storm water runoff, although not for the May 17 storm. These locations include gaging stations GS21 and GS24, both located on the 881 Hillside and receiving runoff from waste storage areas (Attachments 5 & 6). Data for several storm water runoff samples from gaging stations GS22 and GS25 indicate that runoff from the Building 460 Area and the east side of Building 881 respectively, do not contain high radionuclide activity; eliminating these drainage areas as significant actinide sources to the SID. A tributary suspected of contributing plutonium-239,240 activity in storm water runoff is a gully which flows intermittently from station SW055 south to the SID (Figure 1). This tributary was not sampled during the May 16-17, 1995 event.

Rocky Mountain Remediation Services, L. L. C. October 2, 1995 Page6

A summary of total plutonium-239, 240 and americium-241 activities in storm water obtained from the OU2 drainage (May 17, 1995); gaging station SW027 (May 16 and 27, June 28, 1995); and Pond

C-2 (May 18-19, May 20-26, and May 27 - June 2, 1995) is shown in Figure 4. Results for Pond C-2 and SW027 were previously reported to downstream communities, the State of Colorado, and other stakeholders on June 28, 1995 and July 25, 1995. Water discharged from Pond C-2 (May 18-June 11, 1995) exceeded the Site-specific discharge limit of 0.05 picocuries per liter (pCi/L) plutonium-239,240. The Pond C-2 water was discharged to the Broomfield Diversion Ditch which routes the flow away from any public drinking water supplies. There was no danger to public health as gross alpha activities were below the State drinking water standard of 15 pCi/L.

#### CONCLUSIONS

The data analysis suggests the following conclusions.

- A source of actinide material is located at the top of the OU2 hillside, and this
  material might be diluted and / or settled out of suspension as it is transported
  downgradient. It is difficult to determine which of these mechanisms dominate the
  downgradient actinide transport without total suspended solids and flow data.
- 2. The runoff data from OU2 could merely represent the aerial distribution of radionuclide activities in the hillside soils; not transport from a source located at the top of the hill.
- 3. The OU2 runoff data from the May 16-17, 1995 event might explain some of the variation in plutonium-239,240 activity measured in Pond C-2 on May 18, May 23, and May 30, 1995.
- 4. The OU2 runoff sample data provide additional evidence that the 903 Pad and surrounding area should continue to be a top priority for accelerated remedial action.

Rocky Mountain Remediation Services, L. L. C. October 2, 1995 Page7

The OU2 overland runoff samples were collected as ad-hoc samples during a very unusual precipitation event as part of a research study for characterization of plutonium fate and transport in OU2 soils. If there is a need to determine the relative contribution of actinides from different drainage areas within the SID drainage, then a complete loading analysis of the SID is recommended. The loading analysis would require simultaneous measurement of flow and water quality in each major SID tributary for computation of actinide loads. A loading analysis of the SID would be difficult to complete in a reasonable time frame due to the infrequent occurrence of runoff events in this drainage.

Rocky Mountain Remediation Services, L. L. C. October 2, 1995 Page8

#### REFERENCES


Harnish, R.A., McKnight, D.M., Ranville, J.F., Stephens, V.C., and Orem, W., In Press, "Particulate, Colloidal, and Dissolved-Phase Associations of Plutonium, Americium, and Uranium in Water Samples from Well 1587, Surface Water SW051, and Surface Water SW053 at the Rocky Flats Plant, Colorado," 29 p.


Litaor, M.I., Thompson, M.L., Barth, G.R., and Molzer, P.C., November-December 1994, "Plutonium- 239,240 and Americium-241 in Soils East of Rocky Flats, Colorado," in Journal of Environmental Quality, Vol. 23, no. 6, November-December 1994, Madison, WI, pp. 1231- 1239.


Rocky Mountain Remediation Services, L. L. C. October 2, 1995 Page9

**FIGURES** 

Precipitation at RFETS - April/May 1995







Schematic of May and June 1995 storm event samples in the vicinity of OU2. Figure 4.

Rocky Mountain Remediation Services, L. L. C. October 2, 1995 Page164




 2030 Wright Avenue
P.O. Box 4040
 Richmond, CA 94804-0040

(510) 235-2633 Fax: 235-0438

August 9, 1995

Results for samples SW00101ST through SW00117ST.

Sample ID	Results ± 2σ pCi/L Pu-239 •	Am-241 •
Cantric 117	14.23	74(H-224)
SW001015T	$3.814 \pm 0.2820$	0.5280 ± 0.05311
SW00102ST	3.687 ± 0.2846	0.6316 ± 0.05887
SW00103ST	10.36 ± 0.6985	1.596 ± 0.1020
SW001045T	$3.178 \pm 0.3259$	0.5396 ± 0.04001
SW00105ST	8.438 ± 0.7438	1.357 ± 0.1505
SW00106ST	7.503 ± 0.6824	$1.143 \pm 0.1007$
SW00107ST .	6.807 ± 0.6916	1.051 ± 0.09831
SWOOLOSST	$5.525 \pm 0.4879$	0.7026 ± 0.05940
SW00109ST	15.40 ± 0.9333	$2.114 \pm 0.1944$
EWOOLLOST	12.19 ± 0.7598	$2.065 \pm 0.2408$
SW00111ST	$3.843 \pm 0.3080$	$0.6401 \pm 0.03947$
\$W00112ST	2.978 ± 0.2273	$0.4512 \pm 0.03272$
SW00113ST	$11.16 \pm 1.050$	$1.531 \pm 0.1508$
SW00114ST	$247.5 \pm 21.65$	$48.07 \pm 5.098$
SWOOLLSET	148.2 ± 14.81	26.53 ± 3.1180
SW00116ST	$37.99 \pm 3.377$	$6.837 \pm 0.2353$
SW00117ST	44.37 ± 3.374	$7.680 \pm 0.5787$



## Gross Beta, Std. Dev. max (pCVL) Gross Alpha, Gross Alpha, Gross Beta, Std. Dev. max (pCi/L) ကမာက max 19 10 TSS, min 8 6 = (pCl/L) Std. Dev. 0.28 0.2 0.22 0.14 U-238 1.6 1.82 U-233,234, Std. Dev. 0.15 0.09 Am, Std. U-233,234 (pCML) 1.02 0.022 0.012 0.009 0.007 Dev. (pCI/L) Am-241 0.065 0.024 0.063 0.028 0.018\* Pu-239- Pu, Std. 0.016 Dev. 0.108 0.121 Mid-Date, Composite 5/18/95 5/23/95 5/30/95 5/18/95-5/19/95 5/20/95-5/26/95 5/27/95-6/2/95 Composite Period Volume Weighted Average Pond C-2 Location

Error Gross	Beta	2	4	-	
	Beta	6	9	10	
Error Gross	Alpha	2	3	2	
Gross	Alpha	9	13	11	
	EU-238	0.051	0.178	0.127	
	U-238	0.858	5.056	3.253	
	EU-233,234	0.048	0.097	0.085	
	U-233,234	0.787	2.505	1.991	
	EAm-241	0.014	0.029	0.023	
	Am-241	0.119	0.374	0.3	
-	EPu-239	0.018	0.085	0.09	
off (pCi/L)	Pu-239,240	0.267	2.136	2.289	
er Run	Time	310	સ	2054	
A Storm Wal	Date	950517	950527	950628	
ndustrial Area IM/IRA Storm Water Runoff	Sample Number	SW00312EG	SW00325EG	SW00338EG	
Industri	Station	SW027	SW027	SW027	

							_		_		_	_					_	_	
Beta	2	2	2	2		2	2	2	2		-		3	2	9		2	2	2
Beta	5.5	10	16	18		7	8	16	15		c,		26	14	34		6	9	15
Alpha	1	2	2	2		-	-	-	1		1		4	2	5		2	1	2
Alpha	4	9	7	7		4	2	9	2		4		18	10	19		7	4	10
EU-238	0.018	0.031	0.011	0.016		0.055	0.016	0.019	0.021		0.051			0.022	0.037			0.035	0.02
U-238	0.112	0.486	0.072	0.17		0.67	0.172	0.247	0.261		0.963		0.683	0.297	0.623		1.7	0.614	0.254
EU-233,234	0.019	0.026	0.014	0.021		0.054	0.018	0.018	0.024		0.108			0.042	0.056			0.051	0.029
U-233,234	0.129	0.363	0.124	0.269		0.718	0.198	0.227	0.325		2.599		1.952	0.799	1.138		3.5	1.053	0.481
EAm-241	900.0	600.0	0.004	0.005		0.008	0.011	0.004	0.004		0.016			0.004	0.015			0.002	0.007
Am-241	0.013	0.062	0.017	0.021		0.018	0.064	0.007	0.00		0.453		0.04	0.015	0.048		0.012	0.006	0.029
EPu-239	0.014	900.0	0.003	0.007		0.005	900.0	0.002	0.003		0.004			0.005	0.016			0.004	900.0
Pu-239,240	0.104	0.031	0.004	0.045		0.007	0.027	0.002	0.008		0.013		0.128	0.025	0.209		0.036	0.02	0.037
Time	1639	2059	1634	1548		1341	1851	1633	1547		657		1916	2048	1549		1917	2035	1549
Date	950503	950516	950531	950628		950503	950516	950531	950628		950617		950502	950516	950628		950502	950516	950628
Sample Number	SW00308EG	SW00313EG	SW00327EG	SW00339EG		SW00307EG	SW00314EG	SW00328EG	SW00340EG		SW00331EG		SW00306EG	SW00318EG	SW00341EG		SW00305EG	SW00317EG	SW00342EG
Station	GS21	GS21	GS21	GS21		GS22	GS22	GS22	GS22		GS23		GS24	GS24	GS24		GS25	GS25	GS25
	Sample Number Date Time Pu-239.240 EPu-239 Am-241 EAm-241 U-233.234 U-238 EU-238 Alpha Alpha Beta	Sample Number         Date         Time         Pu-239_240         EPu-239         Am-241         U-233_234         U-238         EU-238         Alpha         Alp	Sample Number         Date         Time         Pu-239_240         EPu-239         Am-241         U-233_234         EU-236         EU-236         Alpha         Alpha         Alpha         Alpha         Alpha         Alpha         Beta           SW00308EG         950503         1639         0.104         0.013         0.013         0.006         0.109         0.129         0.019         0.112         0.018         4         1         5.5           SW00313EG         950516         2059         0.031         0.062         0.062         0.069         0.363         0.026         0.031         6         2         10	Sample Number         Date         Time         Pu-239_240         EPu-239         Am-241         U-233_234         EU-236         EU-236         Alpha         Beta         Beta         Beta         1         5.5         Beta         1         5.5         1         5.5         1         1         5.5         1         1         5.5         1         1         5.5         1         1         5.5         1         1         5.5         1         1         5.5         1         1         5.5         1         1         5.5         1         1         5.5         1         1         2         1         1         2         1         1         2         1         1         2         1         2         1         2         1         2         1         1         2         1         2         1         2         1         2         1         2         1         2         1         2         2         1         2         2         1	Sample Number         Date         Time         Pu-239_240         EPu-239         Am-241         U-233_234         EU-238         EU-238         Alpha         Beta         1         5.5         1         2         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         4         1         5.5         4         4         1         5.5         4         4         1         5.5         4         4         1         4         1         4         1         5.5         5         5         5         5         5         5         6         7         7         7         7         7         1         8         7         8         1	Sample Number         Date         Time         Pu-239_240         EPu-239         Am-241         U-233_234         EU-238         EU-238         Alpha         Alpha         Alpha         Alpha         Alpha         Beta           SW00308EG         950503         1639         0.104         0.013         0.013         0.006         0.006         0.0129         0.019         0.112         0.018         4         1         5.5           SW00313EG         950516         2059         0.031         0.0062         0.062         0.009         0.363         0.026         0.031         6         2         10           SW00327EG         950531         1634         0.004         0.007         0.014         0.004         0.124         0.014         0.017         2         16           SW00339EG         950628         1548         0.045         0.007         0.029         0.269         0.021         0.017         0.017         0.016         7         2         16	Sample Number         Date         Time         Pu-239_240         EPu-239         Am-241         U-233_234         EU-238         EU-238         Alpha         Al	Sample Number         Date         Time         Pu-239_240         EPu-239         Am-241         U-233_234         EU-238         EU-238         Alpha         Alpha         Alpha         Alpha         Alpha         Beta           SW00308EG         950503         1639         0.104         0.013         0.005         0.029         0.019         0.0	Sample Number         Date         Time         Pu-239_240         EPu-239         Am-241         L-233_234         EU-238         EU-238         Alpha         Alpha         Alpha         Alpha         Alpha         Beta           SW00308EG         950503         1639         0.104         0.013         0.005         0.009         0.129         0.019         0.112         0.018         4         1         5.5           SW00313EG         950516         2059         0.031         0.0062         0.009         0.363         0.016         0.017	Sample Number         Date         Time         Pu-239_240         EPu-239         Am-241         L-233_234         EU-238         EU-238         Alpha         Alpha         Alpha         Alpha         Alpha         Beta           SW00308EG         950503         1639         0.104         0.013         0.005         0.009         0.129         0.019         0.112         0.018         4         1         5.5           SW00313EG         950516         2059         0.031         0.0062         0.009         0.363         0.016         0.017	Sample Number         Date         Time         Pu-239_240         EPu-239         Am-241         L-233_234         EU-236         EU-236         Alpha         Alpha         Alpha         Alpha         Alpha         Alpha         Alpha         Beta           SW00308EG         950503         1639         0.104         0.013         0.005         0.029         0.019         0.0	Sample Number         Date         Time         Pu-239_240         EPu-239         Am-241         L-233_234         L-233_234         L-236         EU-236         Alpha         Alpha <th< td=""><td>Sample Number         Date         Time         Pu-239_240         EPu-239         Am-241         LV-33_234         EU-238         EU-238         Apha         Alpha         Alpha         Alpha         Alpha         Alpha         Beta           SW00308EG         950503         1639         0.104         0.013         0.006         0.029         0.029         0.019         0.012         0.018         0.019         0.112         0.018         4         1         5.5           SW00318EG         950516         2059         0.031         0.006         0.062         0.009         0.363         0.014         0.014         0.017         0.016         0.016         0.014         0.014         0.017         0.016         0.014         0.014         0.017         0.016         0.016         0.014         0.017         0.016         7         2         16           SW00307EG         950628         1341         0.007         0.005         0.018         0.017         0.016         0.17         0.016         7         2         16           SW00307EG         950628         1851         0.027         0.006         0.018         0.018         0.017         0.016         7         2         <td< td=""><td>Sample Number         Date         Time         Pu-239_240         EPu-239_240         EPu-23</td><td>Sample Number         Date         Time         Pu-239_240         EPu-239_240         EPu-239_240         EPu-239_2340         EPu-233_234         LU-233_2334         LU-233_2334         LU-236         GU129         O119         O112         O108         Apple         <th< td=""><td>Sample Number         Date         Time         Pu-239.240         EPu-239         Am-241         EAm-241         LU-233.234         EU-238         EU-238         Aphia         Alpha         Alpha         Alpha         Alpha         Alpha         Beta           SWW00308EG         950503         1639         0.104         0.013         0.005         0.028         0.019         0.112         0.018         4         1         5.5           SWW0037EG         950516         1634         0.004         0.007         0.004         0.004         0.004         0.004         0.128         0.014         7         2         16           SWW00339EG         950631         1548         0.045         0.007         0.021         0.006         0.188         0.017         0.016         7         2         16           SWW0030FE         950630         1341         0.007         0.007         0.008         0.718         0.077         0.016         7         2         16           SWW0030FEG         950630         1547         0.006         0.064         0.011         0.188         0.077         0.018         0.074         0.018         0.074         0.018         0.074         0.018</td><td>Sample Number         Date         Time         Pu-239_240         EPu-239_240         EPu-233_234         EU-233_234         EU-233_234         EU-238_253         Lu-238_253         Lu-238_253</td></th<><td>Sample Number         Date         Time         Pu-239_240         EPu-239         Am-241         L-233_234         EU-233_234         U-238         EU-238         Alpha         <t< td=""><td>Sample Number         Date         Time         Pu-239 240         EPu-239         Am-241         U-233 234         EU-233 234         EU-236         EU-236</td></t<></td></td></td<></td></th<>	Sample Number         Date         Time         Pu-239_240         EPu-239         Am-241         LV-33_234         EU-238         EU-238         Apha         Alpha         Alpha         Alpha         Alpha         Alpha         Beta           SW00308EG         950503         1639         0.104         0.013         0.006         0.029         0.029         0.019         0.012         0.018         0.019         0.112         0.018         4         1         5.5           SW00318EG         950516         2059         0.031         0.006         0.062         0.009         0.363         0.014         0.014         0.017         0.016         0.016         0.014         0.014         0.017         0.016         0.014         0.014         0.017         0.016         0.016         0.014         0.017         0.016         7         2         16           SW00307EG         950628         1341         0.007         0.005         0.018         0.017         0.016         0.17         0.016         7         2         16           SW00307EG         950628         1851         0.027         0.006         0.018         0.018         0.017         0.016         7         2 <td< td=""><td>Sample Number         Date         Time         Pu-239_240         EPu-239_240         EPu-23</td><td>Sample Number         Date         Time         Pu-239_240         EPu-239_240         EPu-239_240         EPu-239_2340         EPu-233_234         LU-233_2334         LU-233_2334         LU-236         GU129         O119         O112         O108         Apple         <th< td=""><td>Sample Number         Date         Time         Pu-239.240         EPu-239         Am-241         EAm-241         LU-233.234         EU-238         EU-238         Aphia         Alpha         Alpha         Alpha         Alpha         Alpha         Beta           SWW00308EG         950503         1639         0.104         0.013         0.005         0.028         0.019         0.112         0.018         4         1         5.5           SWW0037EG         950516         1634         0.004         0.007         0.004         0.004         0.004         0.004         0.128         0.014         7         2         16           SWW00339EG         950631         1548         0.045         0.007         0.021         0.006         0.188         0.017         0.016         7         2         16           SWW0030FE         950630         1341         0.007         0.007         0.008         0.718         0.077         0.016         7         2         16           SWW0030FEG         950630         1547         0.006         0.064         0.011         0.188         0.077         0.018         0.074         0.018         0.074         0.018         0.074         0.018</td><td>Sample Number         Date         Time         Pu-239_240         EPu-239_240         EPu-233_234         EU-233_234         EU-233_234         EU-238_253         Lu-238_253         Lu-238_253</td></th<><td>Sample Number         Date         Time         Pu-239_240         EPu-239         Am-241         L-233_234         EU-233_234         U-238         EU-238         Alpha         <t< td=""><td>Sample Number         Date         Time         Pu-239 240         EPu-239         Am-241         U-233 234         EU-233 234         EU-236         EU-236</td></t<></td></td></td<>	Sample Number         Date         Time         Pu-239_240         EPu-239_240         EPu-23	Sample Number         Date         Time         Pu-239_240         EPu-239_240         EPu-239_240         EPu-239_2340         EPu-233_234         LU-233_2334         LU-233_2334         LU-236         GU129         O119         O112         O108         Apple         Apple <th< td=""><td>Sample Number         Date         Time         Pu-239.240         EPu-239         Am-241         EAm-241         LU-233.234         EU-238         EU-238         Aphia         Alpha         Alpha         Alpha         Alpha         Alpha         Beta           SWW00308EG         950503         1639         0.104         0.013         0.005         0.028         0.019         0.112         0.018         4         1         5.5           SWW0037EG         950516         1634         0.004         0.007         0.004         0.004         0.004         0.004         0.128         0.014         7         2         16           SWW00339EG         950631         1548         0.045         0.007         0.021         0.006         0.188         0.017         0.016         7         2         16           SWW0030FE         950630         1341         0.007         0.007         0.008         0.718         0.077         0.016         7         2         16           SWW0030FEG         950630         1547         0.006         0.064         0.011         0.188         0.077         0.018         0.074         0.018         0.074         0.018         0.074         0.018</td><td>Sample Number         Date         Time         Pu-239_240         EPu-239_240         EPu-233_234         EU-233_234         EU-233_234         EU-238_253         Lu-238_253         Lu-238_253</td></th<> <td>Sample Number         Date         Time         Pu-239_240         EPu-239         Am-241         L-233_234         EU-233_234         U-238         EU-238         Alpha         <t< td=""><td>Sample Number         Date         Time         Pu-239 240         EPu-239         Am-241         U-233 234         EU-233 234         EU-236         EU-236</td></t<></td>	Sample Number         Date         Time         Pu-239.240         EPu-239         Am-241         EAm-241         LU-233.234         EU-238         EU-238         Aphia         Alpha         Alpha         Alpha         Alpha         Alpha         Beta           SWW00308EG         950503         1639         0.104         0.013         0.005         0.028         0.019         0.112         0.018         4         1         5.5           SWW0037EG         950516         1634         0.004         0.007         0.004         0.004         0.004         0.004         0.128         0.014         7         2         16           SWW00339EG         950631         1548         0.045         0.007         0.021         0.006         0.188         0.017         0.016         7         2         16           SWW0030FE         950630         1341         0.007         0.007         0.008         0.718         0.077         0.016         7         2         16           SWW0030FEG         950630         1547         0.006         0.064         0.011         0.188         0.077         0.018         0.074         0.018         0.074         0.018         0.074         0.018	Sample Number         Date         Time         Pu-239_240         EPu-239_240         EPu-233_234         EU-233_234         EU-233_234         EU-238_253         Lu-238_253         Lu-238_253	Sample Number         Date         Time         Pu-239_240         EPu-239         Am-241         L-233_234         EU-233_234         U-238         EU-238         Alpha         Alpha <t< td=""><td>Sample Number         Date         Time         Pu-239 240         EPu-239         Am-241         U-233 234         EU-233 234         EU-236         EU-236</td></t<>	Sample Number         Date         Time         Pu-239 240         EPu-239         Am-241         U-233 234         EU-233 234         EU-236         EU-236

